Ghana Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)



I. Key data on HPV and HPV-related cancers



Ghana has a population of 10.6 million women ages 15 years and older who are at risk of developing cervical cancer. Current estimates indicate that every year 2797 women are diagnosed with cervical cancer and 1699 die from the disease. Cervical cancer ranks as the 2nd most frequent cancer among women in Ghana and the 2nd most frequent cancer among women between 15 and

44 years of age. Data is not yet available on the HPV burden in the general population of Ghana. However, in Western Africa, the region Ghana belongs to, about 4.3% of women in the general population are estimated to harbour cervical HPV-16/18 infection at a given time, and 55.6% of invasive cervical cancers are attributed to HPVs 16 or 18.

Table 1. Crude incidence rates of HPV-related cancers

	Male	Female
Cervical cancer	-	18.3
Anal cancer	0.46	0.67
Vulva cancer	-	0.37
Vaginal cancer	-	0.12
Penile cancer	0.13	-
Oropharyngeal cancer	0.30	0.16
Oral cavity cancer	0.86	0.38
Laryngeal cancer	0.80	0.35

Table 2. Burden of cervical cancer

	Incidence	Mortality
Annual number of new cases/deaths	2797	1699
Crude rate	18.3	11.1
Age-standarized rate	27.4	17.8
Cumulative risk 0-74 years (%)	2.98	1.95
Ranking of cervical cancer (all years)	2nd	2nd
Ranking of cervical cancer (15-44 years)	2nd	3rd

Table 3. Burden of cervical HPV infection Ghana

	No. Tested	% (95% CI)
HPV 16/18 prevalence:		
Normal cytology	-	-
Low-grade cervical lesions	-	-
High-grade cervical lesions	-	-
Cervical cancer	348	59.2 (54.0-64.2)

Figure 1. Comparison of the ten most frequent HPV oncogenic types in Ghana among women with and without cervical lesions

No data available

Ghana Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)



II. Complementary data on cervical cancer prevention

 Table 4. Factors contributing to cervical cancer (co-factors)

Smoking prevalence (%) [95% UI], women	0.2 [0.1-0.4]
Total fertility rate (live births per women)	3.9
Hormonal contraception use (%)	4.30
HIV prevalence (%) [95% UI] (15-49 years)	2.3 [1.9-2.8]

Table 5. Sexual behaviour


MEN	
Percentage of 15-year-old who have had sexual intercourse	9.3
Range of median age at first sexual intercourse	19.1 - 19.8
WOMEN	
Percentage of 15-year-old who have had sexual intercourse	11.8
Range of median age at first sexual intercourse	17 - 18.4

Table 6. HPV vaccine introduction

Females	
HPV vaccination programme	Not Available/Not Introduced
Year of introduction	-
Year of estimation	-
HPV coverage – first dose (%)	-
HPV coverage – last dose (%)	-
Males	
Males HPV vaccination programme	Not Available/Not Introduced
HPV vaccination programme	
HPV vaccination programme Year of introduction	

Table 7. Cervical screeningmendations	practices and recom-
Existence of official national rec-	No
ommendations	
Starting year of recommendations	-
Active invitation to screening	-
Screening ages (years), pri- mary screening test used, and screening interval or frequency of screenings	-

Figure 2. Estimated coverage of cervical cancer screening in Ghana*



* Estimated coverage and 95% confidence interval in 2019

Contact information:

ICO/IARC HPV Information Centre Institut Català d'Oncologia Avda. Gran Via de l'Hospitalet, 199-203 08908 L'Hospitalet de Llobregat (Barcelona, Spain) info@hpvcentre.net

www.hpvcentre.net