Saudi Arabia Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)



I. Key data on HPV and HPV-related cancers



Saudi Arabia has a population of 10.7 million women ages 15 years and older who are at risk of developing cervical cancer. Current estimates indicate that every year 358 women are diagnosed with cervical cancer and 179 die from the disease. Cervical cancer ranks as the

8th most frequent cancer among women in Saudi Arabia and the 8th most frequent cancer among women between 15 and 44 years of age. Data is not yet available on the HPV burden in the general population of Saudi Arabia. However, in Western Asia, the region Saudi Arabia belongs to, about 2.5% of women in the general population are estimated to harbour cervical HPV-16/18 infection at a given time, and 72.4% of invasive cervical cancers are attributed to HPVs 16 or 18.

Table 1. Crude incidence rates of HPV-related cancers

	Male	Female
Cervical cancer	-	2.44
Anal cancer	0.27	0.20
Vulva cancer	-	0.10
Vaginal cancer	-	0.03
Penile cancer	0.02	-
Oropharyngeal cancer	0.06	0.05
Oral cavity cancer	1.26	1.35
Laryngeal cancer	0.89	0.13

Table 2. Burden of cervical cancer

	Incidence	Mortality
Annual number of new cases/deaths	358	179
Crude rate	2.44	1.22
Age-standarized rate	2.81	1.60
Cumulative risk 0-74 years (%)	0.31	0.18
Ranking of cervical cancer (all years)	8th	9th
Ranking of cervical cancer (15-44 years)	8th	7th

Table 3. Burden of cervical HPV infection Saudi Ara-

	No. Tested	% (95% CI)
HPV 16/18 prevalence:		
Normal cytology	-	-
Low-grade cervical lesions	-	-
High-grade cervical lesions	-	-
Cervical cancer	100	76.0 (66.8-83.3)

Figure 1. Comparison of the ten most frequent HPV oncogenic types in Saudi Arabia among women with and without cervical lesions

No data available

Saudi Arabia Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)



II. Complementary data on cervical cancer prevention

Table 4. Factors contributing to cervical cancer (cofactors)

Smoking prevalence (%) [95% UI], women	1.7 [1-2.6]
Total fertility rate (live births per women)	2.5
Hormonal contraception use (%)	15.2
HIV prevalence (%) [95% UI] (15-49 years)	- [—]

Table 5. Sexual behaviour

Μ	E	Ν	
			_

IVIEI	N	
	Percentage of 15-year-old who have had sexual intercourse	-
	Range of median age at first sexual intercourse	-
WO	MEN	
	Percentage of 15-year-old who have had sexual intercourse	-
	Range of median age at first sexual intercourse	-

Table 6. HPV vaccine introduction


HPV coverage - last dose (%)

Females	
HPV vaccination programme	Not Available/Not Introduced
Year of introduction	-
Year of estimation	-
HPV coverage – first dose (%)	-
HPV coverage – last dose (%)	
Males	
HPV vaccination programme	Not Available/Not Introduced
Year of introduction	-
Year of estimation	-
HPV coverage – first dose (%)	-

Table 7. Cervical screening practices and recommendations

Existence of official national rec-	No
ommendations	
Starting year of recommendations	-
Active invitation to screening	-
Screening ages (years), pri- mary screening test used, and screening interval or frequency of screenings	-

Figure 2. Estimated coverage of cervical cancer screening in Saudi Arabia*



* Estimated coverage and 95% confidence interval in 2019

Contact information:

ICO/IARC HPV Information Centre Institut Català d'Oncologia Avda. Gran Via de l'Hospitalet, 199-203 08908 L'Hospitalet de Llobregat (Barcelona, Spain) info@hpvcentre.net

www.hpvcentre.net