Zambia Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)





Zambia has a population of 5.75 million women ages 15 years and older who are at risk of developing cervical cancer. Current estimates indicate that every year 3161 women are diagnosed with cervical cancer and 1904 die from the disease. Cervical cancer ranks as the 1st most frequent cancer among women in Zambia and the 1st most frequent cancer among women between 15

and 44 years of age. Data is not yet available on the HPV burden in the general population of Zambia. However, in Eastern Africa, the region Zambia belongs to, about 4.7% of women in the general population are estimated to harbour cervical HPV-16/18 infection at a given time, and 67.9% of invasive cervical cancers are attributed to HPVs 16 or 18.

Table 1. Crude incidence rates of HPV-related cancers

	Male	Female
Cervical cancer	-	34.1
Anal cancer	0.12	0.50
Vulva cancer	-	1.44
Vaginal cancer	-	0.46
Penile cancer	1.38	-
Oropharyngeal cancer	0.19	0.02
Oral cavity cancer	0.81	0.53
Laryngeal cancer	0.80	0.23

Table 2. Burden of cervical cancer

	Incidence	Mortality
Annual number of new cases/deaths	3161	1904
Crude rate	34.1	20.5
Age-standarized rate	65.5	43.4
Cumulative risk 0-74 years (%)	7.39	5.20
Ranking of cervical cancer (all years)	1st	1st
Ranking of cervical cancer (15-44 years)	1st	1st

Table 3. Burden of cervical HPV infection Zambia

	No. Tested	% (95% CI)
HPV 16/18 prevalence:		
Normal cytology	-	-
Low-grade cervical lesions	-	-
High-grade cervical lesions	-	-
Cervical cancer	-	-

Figure 1. Comparison of the ten most frequent HPV oncogenic types in Zambia among women with and without cervical lesions

No data available

Zambia Human Papillomavirus and Related Cancers, Fact Sheet 2023 (2023-03-10)



II. Complementary data on cervical cancer prevention

Table 4. Factors contributing to cervical cancer (co-factors)

Smoking prevalence (%) [95% UI], women	2.3 [1.4-3.4]
Total fertility rate (live births per women)	4.9
Hormonal contraception use (%)	11.8
HIV prevalence (%) [95% UI] (15-49 years)	13.8 [12.1-15.4]

Table 5. Sexual behaviour

MEN	
Percentage of 15-year-old who have had sexual intercourse	16.0
Range of median age at first sexual intercourse	17.8 - 18.8
WOMEN	
Percentage of 15-year-old who have had sexual intercourse	12.0
Range of median age at first sexual intercourse	16.9 - 18.1

Table 6. HPV vaccine introduction

Females	
HPV vaccination programme	Introduced
Year of introduction	2019
Year of estimation	2021
HPV coverage – first dose (%)	45
HPV coverage – last dose (%)	33
Males	


Males

HPV vaccina	tion programme	Not Available/Not Introduced
Year of introc	Juction	-
Year of estim	ation	-
HPV coverag	ge – first dose (%)	-
HPV coverag	ge – last dose (%)	-

Table 7. Cervical screening practices and recommendations

incidations	
Existence of official national rec-	Yes
ommendations	
Starting year of recommendations	2006
Active invitation to screening	No
Screening ages (years), pri- mary screening test used, and screening interval or frequency of screenings	>=18 (VIA, 3 years)

Figure 2. Estimated coverage of cervical cancer screening in Zambia*



* Estimated coverage and 95% confidence interval in 2019

Contact information:

ICO/IARC HPV Information Centre Institut Català d'Oncologia Avda. Gran Via de l'Hospitalet, 199-203 08908 L'Hospitalet de Llobregat (Barcelona, Spain) info@hpvcentre.net

www.hpvcentre.net